




renomag

REINFORCED HD LOADER BUCKETS



PRODUCTS



Reinforced HD buckets for loaders are designed to be used in harsh conditions for demolition work, in civil engineering and for dispatching excavated material. These buckets, made of sturdy and abrasion-resistant material, have a tried and tested shape optimized to provide minimum resistance when penetrating material and easy filling of the bucket. The V-shaped bottom transfers the breakout force of the loader without losses. Bucket suspension is securely connected with the reinforced upper part and, through the bottom construction, with the edge. This design effectively transfers the machine's power, prevents the bucket body from deflecting and protects the carrying components against wear. The Hardox In My Body™ certification is a guarantee of material quality, reliability and long life.

Reinforced HD buckets are available in versions with a screwed removable lower edge or fitted with teeth, optionally with removable or welded protective between-teeth segments.



REINFORCED HD LOADER BUCKETS

Sturdy suspension construction provides high resistance to deflection.

- Optimized for maximum utilization of the machine's power.



Reinforced sides and bottom; all bucket components made of solid and abrasion resistant material for long life.

The V-shaped bottom directs the material flow for quick filling as well as dumping with unrivalled transfer of the digging force, or there is a flat bottom for easier penetration for use with terminal machines and bulk materials.

The ESCO Ultralok™ teeth system provides optimum loading performance.

Removable screwed abrasion resistant plates to protect the bottom.

- Can be supplied with additional parts resistant to wear or high temperatures.
- Strength, kinematics and shape optimized using 3D CAD for specific machines and optimum performance.



Pictures are for illustrative purposes only; we reserve the right to change and develop products.

